

## ADAS Subroutine d6spec

```
      SUBROUTINE D6SPEC ( LRSPEC ,
&                          NDLINE , NDCOMP , NDRAT , NDFILE ,
&                          NFILE , LFILE ,
&                          UID , GROUP , TYPE , EXT ,
&                          IZ0 , DSPECA ,
&                          NLINE , NCOMP ,
&                          IZION , IMET , CIMET , INDPH ,
&                          IFILE ,
&                          NTDIM , ITMAX ,
&                          TEIN , DEIN , THIN , DHIN ,
&                          PECA ,
&                          LPEC , LTRNG , LDRNG
&                          )
```

```
C-----
C
C ***** FORTRAN77 SUBROUTINE: D6SPEC *****
C
C PURPOSE: TO CALCULATE PHOTON EMISSIVITY COEFFICIENTS FOR
C          SPECTRAL LINES IDENTIFIED IN SCRIPT FILE
C
C CALLING PROGRAM: ADAS406
C
C SUBROUTINE:
C
C INPUT : (I*4)   NDLINE   = MAXIMUM NUMBER OF LINES ALLOWED
C INPUT : (I*4)   NDCOMP   = MAXIMUM NUMBER OF COMPONENT FOR EACH LINE
C INPUT : (I*4)   NDRAT    = MAXIMUM NUMBER OF LINE RATIOS ALLOWED
C INPUT : (I*4)   NDFILE   = MAXIMUM NUMBER OF EMISSIVITY FILES WHICH
C                          CAN BE SEARCHED
C INPUT : (I*4)   NFILE    = NUMBER OF PEC FILES TO BE SCANNED
C INPUT : (L*4)   LFILE()  = .TRUE.  => PEC FILE EXISTS AND MATCHES
C                          .FALSE. => PEC FILE DOES NOT EXIST/MATCH
C INPUT : (C*6)   UID()    = USER IDENTIFIER OF PEC FILE
C INPUT : (C*8)   GROUP()  = GROUP IDENTIFIER OF PEC FILE
C INPUT : (C*5)   TYPE()   = TYPE IDENTIFIER OF PEC FILE
C INPUT : (C*3)   EXT()    = EXTENSION OF PEC FILE MEMBER NAME
C INPUT : (I*4)   IZ0      = NUCLEAR CHARGE OF IMPURITY
C INPUT : (C*120) DSPECA() = PHOTON EMISSIVITY SOURCE FILES
C INPUT : (I*4)   NLINE    = NUMBER OF LINES IDENTIFIED IN SCRIPT
C INPUT : (I*4)   NCOMP()  = NUMBER OF COMPONENTS OF SCRIPT LINE
C                          1ST DIM: LINE INDEX
C INPUT : (I*4)   IZION(,) = CHARGE STATE OF COMPONENT
C                          1ST DIM: LINE INDEX
C                          2ND DIM: COMPONENT INDEX
C INPUT : (I*4)   IMET(,)  = NUMBER OF COMPONENTS OF SCRIPT LINE
C                          1ST DIM: LINE INDEX
C                          2ND DIM: COMPONENT INDEX
C INPUT : (C*1)   CIMET(,) = SIGN (+, BLANK OR -) OF METASTABLE
C                          1ST DIM: LINE INDEX
C                          2ND DIM: COMPONENT INDEX
C INPUT : (I*4)   INDPH(,) = PEC FILE INDEX OF LINE COMPONENT
C                          1ST DIM: LINE INDEX
```

```

C
C          2ND DIM: COMPONENT INDEX
C INPUT : (I*4)  IFILE(,) = INDEX OF PEC FILE IN FILE LIST
C
C          1ST DIM: LINE INDEX
C          2ND DIM: COMPONENT INDEX
C INPUT : (I*4)  NTDIM   = MAXIMUM NUMBER OF TEMP/DENSITY SETS
C INPUT : (I*4)  ITMAX   = NUMBER OF TEMP/DENSITY SETS
C INPUT : (R*8)  TEIN()  = ELECTRON TEMPERATURES (EV)
C INPUT : (R*8)  DEIN()  = ELECTRON DENSITIES (CM-3)
C INPUT : (R*8)  THIN()  = HYDROGEN TEMPERATURES (EV)
C INPUT : (R*8)  DHIN()  = HYDROGEN DENSITIES (CM-3)
C
C OUTPUT: (L*4)  LRSPEC  = .TRUE.  => PEC PROCESSING DONE
C                   .FALSE. => PEC PROCESSING NOT DONE
C OUTPUT: (R*8)  PECA(,,) = PHOTON EMISSIVITY COEFFICIENTS (CM3 S-1)
C                   1ST DIM: TEMPERATURE INDEX
C                   2ND DIM: LINE INDEX
C                   3RD DIM: COMPONENT INDEX
C OUTPUT: (L*4)  LPEC(,)  = .TRUE.  => PHOTON EMISSIVITY OBTAINED
C                   .FALSE. => PHOTON EMISSIVITY NOT OBTAINED
C                   2ND DIM: LINE INDEX
C                   3RD DIM: COMPONENT INDEX
C
C          (I*4)  IUNT10  = PARAMETER = INPUT UNIT FOR DATA
C          (L*4)  OPEN10  = .TRUE.   => FILE ALLOCATED TO UNIT 10.
C                   .FALSE. => NO FILE ALLOCATED TO UNIT 10.
C
C ROUTINES:
C          ROUTINE      SOURCE      BRIEF DESCRIPTION
C          -----
C          D5SPC2      IDL-ADAS      OBTAIN PHOTON EMISSIVITY COEFFICIENT
C
C AUTHOR:  H. P. SUMMERS, JET
C          K1/1/57
C          JET EXT. 4941
C
C DATE:    20/04/94
C
C UNIX-IDL PORT:
C
C AUTHOR:  WILLIAM OSBORN (TESSELLA SUPPORT SERVICES PLC)
C
C DATE:    07/06/96
C
C VERSION: 1.1          DATE:07/06/96
C MODIFIED: WILLIAM OSBORN
C          - FIRST VERSION
C VERSION: 1.2          DATE:27/06/96
C MODIFIED: WILLIAM OSBORN
C          - REMOVED UNUSED VARIABLES
C
C-----
C
C-----

```

CHARACTER	CIMET (NDLINE, NDCOMP)	
CHARACTER*120	DSPECA (NDFILE)	
CHARACTER*3	EXT (NDFILE)	
CHARACTER*8	GROUP (NDFILE)	
CHARACTER*5	TYPE (NDFILE)	
CHARACTER*6	UID (NDFILE)	
INTEGER	IFILE (NDLINE, NDCOMP),	IMET (NDLINE, NDCOMP)
INTEGER	INDPH (NDLINE, NDCOMP),	ITMAX, IZ0
INTEGER	IZION (NDLINE, NDCOMP),	NCOMP (NDLINE)
INTEGER	NDCOMP, NDFILE,	NDLINE, NDRAT
INTEGER	NFILE, NLINE,	NTDIM
LOGICAL	LDRNG (NTDIM),	LFILE (NDFILE)
LOGICAL	LPEC (NDLINE, NDCOMP),	LRSPEC
LOGICAL	LTRNG (NTDIM)	
REAL*8	DEIN (NTDIM), DHIN (NTDIM)	
REAL*8	PECA (NTDIM, NDLINE, NDCOMP)	
REAL*8	TEIN (NTDIM), THIN (NTDIM)	